

10-inch 75mm Midbass Driver
SML107501



Features:

1. Because of profession, so worth to trust

Linear array loudspeaker unit, long-distance stage loudspeaker, medium and bass texture super stick, with excellent stability.

2. Imported loosely pressed edged paper basin

Waterproof, moisture-proof, anti-corrosion and anti-oxidation; Effectively enhance the service life of speaker at high power.

3. High-end Nd-magnet U-iron

N40SH Neodymium magnet with high density and strong magnetism is used to improve the explosive power of sound.

4. High performance Carbon Fiber dust cap

This unit uses a high performance carbon fiber dust cap, which strengthens the rigidity and toughness of the speaker and makes it clearer.

10-inch 75mm Midbass Driver



Model: SML107501



108mm
 U iron outer diameter
 260mm
 Max diameter



228mm
 Open hole diameter
 245mm
 Diagonal screw pitch

Specification:

Model	SML107501
Description	10-inch 75-core midbass speaker
Installation aperture	About 228mm
Diagonal screw hole	About 245mm
Outer Diameter	About 260mm
Magnet	Neodymium magnetic 74 magnetic
Frame material	Cast aluminum frame
Rated Impedance	8 ohm
DC Impedance	6 ohm
Rated Power	350 Watts
Maximum power	700 Watts
Sensitivity	97 dB/1W/1m
Frequency range	50-3K Hz
Resonant frequency	56Hz
Electrical Quality Factor Number	0.29
Mechanical Quality Factor Value	3.4
Total Quality Factor Number	0.28
Effective Volume	61 liters
Vibration Area	340.0cm ²
Magnetic Force	16 Txm
Effective Mobile Quality	37g
Place of Origin	Guangzhou, China
Net Weight	About 3.2KG (No packaging)

Good products should talk with data

