

12-inch 75mm Midbass Driver
SML127541



Features:

1. The sound effect is snappy and powerful
 Strong and forceful, shock enough, and selling well in physical stores.
2. Imported 7DF paper basin, durable
 Quality imported paper basin, strong and durable, greatly enhance sensitivity and directivity, enhance the sense of scene and space.
3. High Performance Y35 Magnets
 High-performance Aerospace magnet steel, high magnetic field intensity, keep current stable transmission process undistorted.
4. KTV special use, shocking sound quality
 Designers and acousticians make the professional speakers focusing on acoustic performance.

12-inch 75mm Midbass Driver

Model: SML127541



Specification:

Model	SML127541
Description	12-inch 75-core midbass speaker
Installation aperture	About 280mm
Diagonal screw hole	About 300mm
Height	About 140mm
Magnet material	Ferrite
Frame material	Cast aluminum frame
Rated Impedance	8 ohm
DC Impedance	6 ohm
Rated Power	400 Watts
Maximum power	800 Watts
Sensitivity	98 dB/1W/1m
Frequency range	50-3K Hz
Resonant frequency	53Hz
Electrical Quality Factor Number	0.28
Mechanical Quality Factor Value	4.7
Total Quality Factor Number	0.27
Effective Volume	72 liters
Vibration Area	530.0cm ²
Magnetic Force	17 Txm
Effective Mobile Quality	48g
Place of Origin	Guangzhou, China
Net Weight	About 6.8KG (No packaging)

Good products should talk with data

Impedance vs Freq



SPL vs Freq

