

12-inch 75mm Midbass Driver
SML127570



Features:

1. High sensitivity, large sound radiation angle

Enjoy singing as if you were there in the scene, restore the real voice

2. Quality imported paper basin, strong and durable, processing more optimally high frequency and low frequency of the loudspeaker, which makes the midbass frequency more imaginative.

3. Plum blossom magnetism, professional linear array

Maintain the original sound, greatly reduce distortion, strong bass, widely used in high-end audio.

4. Thickened cast Aluminum basin frame, better sound quality

Low loss of sound quality, higher quality of sound, high sensitivity, easy to drive, low requirement for power amplifier input.

12-inch 75mm Midbass Driver

Model: SML127570



Specification:

Model	SML127570
Description	12-inch 75-core midbass speaker
Installation aperture	About 282mm
Diagonal screw hole	About 298mm
Height	About 130mm
Magnet material	Granular magnetism
Frame material	Cast aluminum frame
Rated Impedance	8 ohm
DC Impedance	6 ohm
Rated Power	350 Watts
Maximum power	700 Watts
Sensitivity	99 dB/1W/1m
Frequency range	45-3K Hz
Resonant frequency	45Hz
Electrical Quality Factor Number	0.35
Mechanical Quality Factor Value	4.49
Total Quality Factor Number	0.34
Effective Volume	40.7 liters
Vibration Area	530.0cm ²
Magnetic Force	20.5 Txm
Effective Mobile Quality	56g
Place of Origin	Guangzhou, China
Net Weight	About 3.5KG (No packaging)

Good products should talk with data

