

**12-inch 75mm Midbass Driver
SML127592**



Features:

1. Light up the quality of your passion

The bass is loud and clear, strong penetration, and the overload capacity is very high. It is not easy to damage.

2. Excellent craftsmanship and meticulous work

Use high temperature resistance imported silver stranded conductor, guarantee that long-term high-power operation will not fracture.

3. High performance magnets

Fully symmetrical magnetic circuit design, cast aluminium basin frame, exquisite workmanship, excellent comprehensive strength.

4. Quality imported paper basin

Manufacturers use new synthetic materials to improve the original conical vibration basin.

12-inch 75mm Midbass Driver

Model: SML127592



Specification:

Model	SML127592
Description	12-inch 75-core midbass speaker
Installation aperture	About 282mm
Diagonal screw hole	About 298mm
Height	About 140mm
Magnet material	Ferrite 190 Magnetism
Frame material	Cast aluminum frame
Rated Impedance	8 ohm
DC Impedance	6 ohm
Rated Power	350 Watts
Maximum power	700 Watts
Sensitivity	97.5 dB/1W/1m
Frequency range	55-3K Hz
Resonant frequency	54Hz
Electrical Quality Factor Number	0.18
Mechanical Quality Factor Value	6.8
Total Quality Factor Number	0.17
Effective Volume	45 liters
Vibration Area	562.0cm ²
Magnetic Force	26 Txm
Effective Mobile Quality	75g
Place of Origin	Guangzhou, China
Net Weight	About 6.8KG (No packaging)

Good products should talk with data

