

**15-inch 100mm Midbass Driver
SML1510014**



Features:

1. Excellent performance of Nd magnetic speaker

Make the whole sound field wider, ensure the service life, sound quality clear and no noise

2. Thickening and overstriking basin frame

Sound transmission far, balanced audio band, it can do well at any time, clear and beautiful sound quality without distortion

3. NdFeB magnet

Neodymium magnetism can obtain better magnetic density while guaranteeing heat dissipation.

4. Strong motivation, shock feeling

Focus on speakers manufacture for 11 years, this unit is manufactured by imported 97 magnetic octagonal speaker, the bass effect is powerful and shocking and the midbass is crisp and comfortable.

15-inch 100mm Midbass Driver

Model: SML1510014




Specification:

Model	SML1510014
Description	15-inch 100-core midbass speaker
Installation aperture	About 355mm
Diagonal screw hole	About 387mm
Height	About 175mm
Magnet material	Neodymium
Frame material	Cast aluminum frame
Rated Impedance	8 ohm
DC Impedance	6 ohm
Rated Power	500 Watts
Maximum power	1K Watts
Sensitivity	98 dB/1W/1m
Frequency range	40-3K Hz
Resonant frequency	37Hz
Electrical Quality Factor Number	0.25
Mechanical Quality Factor Value	12.2
Total Quality Factor Number	0.24
Effective Volume	250 liters
Vibration Area	892.0cm ²
Magnetic Force	22.2 T _{xm}
Effective Mobile Quality	95g
Place of Origin	Guangzhou, China
Net Weight	About 6.5KG (No packaging)

Good products should talk with data

Impedance vs Freq



SPL vs Freq

