

15-inch 100mm Midbass Driver SML1510053



Features:

1. Restore human voice timbre

Real manufacturers wholesale, so that the whole sound field is broader, to ensure service life, sound quality clear and no noise.

2. The classic work of the speaker

Imported cloth edges loosely pressed paper basins from the United States, good elasticity, low frequency deep and powerful.

3. Practical professional loose press paper basin

The loosely pressed paper basin has a strong impetus to the transient of the speaker. It can improve the movement speed of the paper basin and enhance the bass effect.

4. Darbond technology textile fiber elastic wave

Fine craftsmanship of making elastic wave, the elastic wave energy of wider and thicker distance ensures the sinking force of the paper basin when the loudspeaker plays dynamic music to a great extent, which is shocking and strong.

15-inch 100mm Midbass Driver



Model: SML1510053




Specification:

| | |
|---|----------------------------------|
| Model | SML1510053 |
| Description | 15-inch 100-core midbass speaker |
| Installation aperture | About 354mm |
| Diagonal screw hole | About 373mm |
| Height | About 160mm |
| Magnet material | NdFeB 97 magnetism |
| Frame material | Cast aluminum frame |
| Rated Impedance | 8 ohm |
| DC Impedance | 6 ohm |
| Rated Power | 500 Watts |
| Maximum power | 1K Watts |
| Sensitivity | 98 dB/1W/1m |
| Frequency range | 40-2.5K Hz |
| Resonant frequency | 44Hz |
| Electrical Quality Factor Number | 0.31 |
| Mechanical Quality Factor Value | 6.53 |
| Total Quality Factor Number | 0.30 |
| Effective Volume | 119 liters |
| Vibration Area | 880.0cm ² |
| Magnetic Force | 24.3 Txm |
| Effective Mobile Quality | 115g |
| Place of Origin | Guangzhou, China |
| Net Weight | About 5.2KG (No packaging) |

Good products should talk with data

Impedance vs Freq



SPL vs Freq

