

OP series Optical IWB SP-SWOP86

| [4] | |
|----------|---------------------------------------|
| | |
| | - |
| <u>A</u> | |
| * | |
| 0 | |
| | |
| q | - |
| Da | |
| D | |
| D | |
| | |
| | |
| - | |
| 1 | |
| 7 | |
| | |
| 2 | |
| L | |
| * | |
| ~ | |
| | |
| | |
| ۷ | |
| | i i i i i i i i i i i i i i i i i i i |
| | |

Description:

OP Series Optical Interactive Whiteboards use the world leading optical multi-touch technology, with the perfect 10 touch and leading plag & play technology. OP series optical interactive whiteboard use the 4:3, 16:9 and 16:10 projection ratio, size is available from 85" to 137".

Advantage:

 $\sqrt{}$ The aluminum alloy frame is formed integrally, the fastener is stronger in the plate body, and the disassembly and maintenance are more convenient.

 $\sqrt{}$ The touch control scheme is integrated and designed to be more secure and stable by using FCC soft data line.

 \checkmark Anti electromagnetic interference, radiation protection, anti static, salt fog prevention.

√ Support USB 2.0/USB 3.0/WIN XP/WIN7/WIN10 Android.

 $\sqrt{}$ Support grades, classes, famous words to change and function independently, projection area and other logo to make the application more humane.

 \checkmark The double 22 shortcut keys make the teaching more handy.


 $\sqrt{}$ Smart software, multiple color selection gesture recognition function, recording function, teaching classroom synchronization, multi person writing annotation, resource sharing.

Texture of material:

 $\sqrt{}$ The panel is made of nano plastic plate, smooth and white, with aluminum alloy profiles for the frame.







Specification:

| 86inch optical whiteboard |
|-------------------------------------|
| SP-SWOP86 |
| 4: 3 |
| 1768*1276*32mm |
| 1572*1192mm |
| 1830*1340*45mm |
| Aluminum alloy; plastic |
| optical drive touch technology |
| 32767×32767 |
| ±3mm |
| ≤2 |
| 5ms No delay |
| ≤120fps |
| ≪ Ф 5.0mm |
| Countless times |
| Pressure free requirements |
| 4, 9 , 16 , 25 touch point |
| 15mm \pm 0.2mmThick plate surface |
| |



www.surpass-audio.com; Email: info@surpass-audio.com Page 2/3



| Surface characteristics | Anti salt fog, anti electromagnetic interference |
|-------------------------------------|---|
| Operating system | WIN7\win8\win8.1 |
| Panel use function | Support grades, classes, famous quotes, self change and free play |
| Touch point number | Multipoint |
| Operation mode | Any opaque objects such as hands or pens, left click, double-click, and support the right button. |
| Annotation function | Support Word, PPT annotation, ink, graphic embedding |
| Whiteboard software model | Full screen mode, desktop mode, edit mode |
| Recording (Photography) function | Supports the preservation of screen content (and voice) into multimedia files and playback immediately. |
| Multimedia support | Commonly used multimedia resources such as audio, video, pictures, FLASH and so on. |
| Magic pen function | Drawing circle can start the spotlight, draw the square, start the magnifying glass, draw the free curve to realize the function of the laser pen |
| Operating temperature | -10℃-45℃ |
| Storage temperature | −40 °C ~75 °C |
| Humidity operation | 10% ~ 90% RH, Non condensate |
| Storage humidity | 10% ~ 90% RH, Non condensate |
| Anti light performance | All angle light resistance |
| Scanning frequency | 120Hz |
| communication interface | USB 2.0 |
| transmission speed | 480Mbps |
| Power supply mode | USB power supply without external power supply |
| working voltage | 4.75~5.25V |
| Working current | ≤300ms |
| Accessories list | 5 m USB extension line * 1strip; Electronic whiteboard pen * 2branch; Teaching pen * 1branch; CD-ROM * 1pcs; Whiteboard wall * 4individual |
| Place of Origin | Guangzhou, China |

