

SP-SWT89 T Series All In One Smartboard

SP-SWT89



Description:

T series infrared all in one smartboard use the world leading infrared multi-touch technology, with the perfect 10 touch and central control technology. It's highly integrated with PC, multimedia central control system, speaker, visualizer, wireless audio system and wireless demonstration system.

Features:

1. Fluent writing and 10 points touch
2. Leading central control technology
3. Hi-fi audio system



Specification:

Model	SP-SWT89
Physical Size	89 inch
Effective Size	80 inch
Display Ratio	16:10
Physical Dimension	1967*1107*90mm
Packing Size	2045*1310*90mm
Net Weight	22 KG
Gross Weight	27 KG
Induction Technology	Infrared
Induction Object	Finger, pen or untransparent object
Resolution	32768(W) * 32768(D)
Calibration Deviation	<2mm
Tracking Speed	>200inch/sec
Cursor Speed	Max 300dots/sec
Effective Touch Object	>=∅ 8mm
Mouse Function	Single click, double click, right click
Responding Speed	15ms
Consequent RS	8ms
Life	100000hrs
Voltage	DC 5.0V +- 5%
Touchscreen Power Supply	USB
Power Consumption	<=1W(200mA DC 5V)
CPU	Pentium 800 (1G Hz (X86) CPU or above)
Memory	1GB or above
Hard disk	>=800mb
Operation System	Windows, Linux, Mac, Android
Working Temperature	30℃ ~ 60℃
Working Humidity	0% ~ 95%
Working Environment	Indoor / Outdoor
Power Input	100-240V
Consumption	<=5W
PC Voltage	4.1~5.5V
CPU	i3, i5, i7
Motherboard	H61/H81/H110
Hard Disc	500G HDD/128SSD, Higher configuration can be customized.
Wireless Mic	2.4G
Mic Function	Laser Pointer, VOL, PPT
Speaker	2*15W
Visualizer	5M
Scan Size	A4

Power	100-240V
Control Mode	One Key Control
Control Code	99 units integrated
Data Display	Digital Screen
System Boot	ID Card Control
Hot Key	Set card control, freeze time, control code and system lock.
Control Panel	Mute*1, Digital locker*1, Reboot*1, VOL*2,Signal switch*1,Power*1
Connection Ports	USB*6, VGA IN*1, VGA OUT*1, MIC*1, AC IN*1, AC OUT*2, RJ45*2, RS-232*1, AUDIO IN*1, AUDIO OUT*1, HDMI*1
Packing Details	All in one Smartboard *1; Software Disc *1; Whiteboard PEN *2; User Manual *1; Warranty Card *1; 5M USB *1; Wall-mount Suit *1
Place of Origin	Guangzhou, China