

18-inch 100mm Subwoofer SW1810078



Features:

- 1. Thickened cast aluminium basin frame, better sound quality
- 18-inch subwoofer, thickened cast aluminum basin frame, high-power 100-core high-temperature resistant copper wire voice coil, good sound field with 24 strands of high strength braided line. Let you enjoy the sound effect of rock and roll live performance.
- 2. High sensitivity, mature and stable sound quality Low-frequency strong and not loose, strong shock experience, high-performance magnets can also provide continuous power for low-frequency.
- 3. Excellent sound quality, shock enjoyment

The auditory feast stirred up your auditory nerves, and every place deduce a wonderful melody. Lightweight material, exquisite workmanship, wonderful original sound, shock experience from the selection of materials, everything is just for better music.

18-inch 100mm Subwoofer











Specification:

| Model | SW1810078 |
|----------------------------------|----------------------------|
| Description | 18-inch 100-core subwoofer |
| Installation aperture | About 410.5mm |
| Diagonal screw hole | About 440mm |
| Height | About 200mm |
| Outer diameter | About 460mm |
| Voice coil | 100-core pure copper coil |
| Cone paper | Imported W-edged Basin |
| Magnet material | Ferrite |
| Frame material | Cast aluminum frame |
| Rated Impedance | 8 ohm |
| DC Impedance | 6 ohm |
| Rated Power | 800 Watts |
| Maximum power | 1.6K Watts |
| Sensitivity | 97 dB/1W/1m |
| Frequency range | 43-1.5K Hz |
| Resonant frequency | 38Hz |
| Electrical Quality Factor Number | 0.389 |
| Mechanical Quality Factor Value | 5.6 |
| Total Quality Factor Number | 0.421 |
| Effective Volume | 138 liters |
| Vibration Area | 0.121m ² |
| Magnetic Force | 20.18 Txm |
| Effective Mobile Quality | 250g |
| Place of Origin | Guangzhou, China |
| Net Weight | About 10KG (No packaging) |
| | |





Good products should talk with data





