

18-inch 115mm Carbon Fibre Subwoofer SW1811537A



Features:

1. Imported carbon fiber cone unit

This low frequency driver has stable performance, light weight, high sensitivity, high power and high reliability.

2. Original imported parts

This speaker is made of imported components. Each product is tested dynamically under strict conditions to ensure that the speaker can operate normally in harsh environments and give full play to its potential effect.

- 3. Heat dissipation and ventilation voice coil
 Adding 8 more pores around the magnet voice coil to solve the working heating problem of the voice coil.
- 4. Excellent low frequency, exquisite craftsmanship

Enlarged NdFeB speaker with 114 magnetic is used to increase the impact force, the drum point is clear and clean, and the low frequency is strong and fast.

18-inch 115mm Carbon Fibre Subwoofer





SURP/155





Specification:

Specification.	
Model	SW1811537A
Description	18-inch 115-core carbon fibre subwoofer
Installation aperture	About 420mm
Diagonal screw hole	About 442mm
Height	About 215mm
Magnet	NdFeB 114 magnetism
Frame material	Cast aluminum frame
Rated Impedance	8 ohm
DC Impedance	6 ohm
Rated Power	1K Watts
Maximum power	2K Watts
Sensitivity	96 dB/1W/1m
Frequency range	30-1.5K Hz
Resonant frequency	38Hz
Electrical Quality Factor Number	0.37
Mechanical Quality Factor Value	8.5
Total Quality Factor Number	0.36
Effective Volume	112 liters
Vibration Area	0.128m ²
Magnetic Force	34.9 Txm
Effective Mobile Quality	331g
Place of Origin	Guangzhou, China
Net Weight	About 11.5KG (No packaging)





Good products should talk with data





